

Certificates Nutan Urja 2023-24

1. Environmental audit 2023-24

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 11/08/2024

CERTIFICATE

This is to certify that we have conducted Environmental Audit at Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon in the year 2023-24.

The College has already adopted following projects for making the campus **Energy Efficient**.

- Installation of Bio Composting Pit
- Installation of Rain Water Harvesting System
- Installation of **1.8 kW** Roof Top Solar PV Power Plant
- Installation of 6500 liters solar thermal hot water system

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,
Certified Energy Auditor,
EA - 22428



2. Green audit 2023-24

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 11/08/2024

CERTIFICATE

This is to certify that we have conducted Green Audit at Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon for the year 2023-24.

The College has already adopted **Green** practices like:

- Installation of Rain Water Harvesting system
- Installation of Bio composting pit
- Installation of **1.8 kW** Roof Top Solar PV Power Plant
- Installation of 6500 liters solar thermal hot water system
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



3. Energy Audit 2023-24

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 11/08/2024

CERTIFICATE


This is to certify that we have conducted Energy Audit at Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2023-24.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment
- Installation of **1.8 kW** Roof Top Solar PV Power Plant.
- Installation of 6500 liters solar thermal hot water system

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



Invoice (Bills)



nutan urja



+91 83568 18381



kgbhatwadekar@gmail.com

INVOICE

To
Principal,

KCE'S Post Graduate College of Science, Arts & Commerce,
Jalgaon


Invoice No: 2024-25/58

Date: 02/12/2024

Work Order No	Verbal
PAN No	AQTPB1025F

No	Particulars	Charges per Unit, Rs.	Quantity Nos.	Amount in Rs.
1	Consultancy Service Charges for Energy Audit, Green Audit and Environmental Audit of college	6,000.00	01	6,000.00
2	Total Invoice Value			6,000.00
3	Amount in Words: Rupees Six Thousand only.			

For Nutan Urja Solutions,


Authorized Signatory



Bank Details:

Name of Bank	IDBI Bank
Branch	Pashan Branch
Name of Account	Nutan Urja Solutions
Current Account Number	0778102000008648
IFSC Code	IBKL0000778



A703, Balaji Whitefield, Sus Road, Pune 411 021, Maharashtra (I)



www.nutanurja.com



sales@nutanurja.com

Report
On
Environmental Audit
At
Khandesh College Education Society's
Post Graduate College of Science, Arts & Commerce,
Jalgaon
(Year 2023-24)



Prepared by
Nutan Urja Solutions
A 703, Balaji Witefield, Near Sunni's World,
Sus Road, Sus, Pune 411 021
Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Table of Contents

Acknowledgement	2
Executive Summary	3
Abbreviations	5
1. Introduction	6
1.1 Important Definitions:	6
1.2 Objectives	7
1.3 Audit Methodology:	7
1.4 General Details of College	7
2. Study of Consumption of Various Resources	8
2.1 Variation of Monthly Electrical Energy Consumption	9
2.2 Key Inference drawn	10
3. Study of Air Pollution and Liquid Waste Generation	11
3.1 Study of Carbon Emission	11
3.2 Air pollution from vehicles	12
3.3 Study of Liquid waste Generation	12
4. Study of Solid Waste Generation	14
4.1 Solid waste collection	14
4.2 Mess and Canteen food wastage	14
4.3 E-waste management	14
4.4 Paper wastage	15
4.5 Bio composting pit	15
5. Recommendations	16

Acknowledgement

We at Nutan Urja Solutions, Pune wish to express our sincere gratitude to the management of Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon for assigning the work of Environmental Audit of college campus.

We appreciate the co-operation and support extended to our team members during the entire tenure of field study.

We are also thankful to various Head of Departments & other Staff members for helping us during the field measurements.

We are also thankful to all other staff members who helped us during the Measurements at the field and for giving us the necessary inputs to carry out this vital exercise.

Executive Summary

After the Field measurements & analysis, we present herewith important observations made and various measures to reduce the dependency on Natural resources & reduce the pollution.

Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon consumes various resources for day to day operations, namely: Air, Water, Electrical Energy & LPG.

1. Various Pollution due to College Activities:

- Air pollution: Mainly CO₂ on account of Electricity & LPG Consumption
- Solid Waste: Bio degradable Kitchen Waste, Garden Waste
- Liquid Waste: Human liquid waste

2. Present Level of CO₂ Emissions:

Sr no	Parameter	Energy consumed, (Units)	CO ₂ Emission (MT)
1	Maximum	1,262	1.0
2	Minimum	632	0.5
3	Average	845	0.7
4	Total	10,136	8.1

3. The various projects already implemented for Environmental Conservation:

- Usage of Natural Day light in corridors
- Implementation of Bio Composting pit for disposal of Bio degradable waste
- Implementation of Rain Water Harvesting
- Installation of **1.8 kW** Solar PV Power Plant.

4. Recommendations:

1. Installation of Bio Gas Generator Plant instead of Bio composting Plant.
2. Installation of Sewage treatment Plant to make campus a Zero Discharge campus

5. Notes & Assumptions:

1. **1 kWh** of Electrical Energy releases **0.8 Kg of CO₂** into atmosphere
2. 1 kWp Solar PV plant generates 5 kWh/day Electrical Energy for 300 days in an year.

Abbreviations

AC	: Air conditioner
PES	: Progressive Education Society
CFL	: Compact Fluorescent Lamp
FTL	: Fluorescent Tube Light
LED	: Light Emitting Diode
kWh	: kilo-Watt Hour
Qty	: Quantity
W	: Watt
kW	: Kilo Watt
PF	: Power Factor
M D	: Maximum Demand
PC	: Personal Computer
MSEDCL	: Maharashtra State Electricity Distribution Company Ltd

1. Introduction

1.1 Important Definitions:

1.1.1 Environment: Definition as per environment Protection Act: 1986

Environment includes water, air and land and the inter-relationship which exists among and between Water, Air, Land and Human beings, other living creatures, plants microorganism and property

1.1.2. Environmental Audit: Definition:

An audit which aims at verification and validation to ensure that various environmental laws are compiled with and adequate care has been taken towards environmental protection and preservation

According to UNEP, 1990, "Environmental audit can be defined as a management tool comprising systematic, documented and periodic evaluation of how well environmental organization management and equipment are performing with an aim of helping to regularize the environment"

1.1.3. Environmental Pollutant: means any solid, liquid and gaseous substance present in the concentration as may be, or tend to be, injurious to Environment.

1.1.4. Relevant Environmental Laws in India: Table No-1:

1927	The Indian Forest Act
1972	The Wildlife Protection Act
1974	The Water (Prevention and Control of Pollution) Act
1977	The Water (Prevention & Control of Pollution) Cess Act
1980	The Forest (Conservation) Act
1981	The Air (Prevention and Control of Pollution) Act
1986	The Environment Protection Act
1991	The Public Liability Insurance Act
2002	The Biological Diversity Act
2010	The National Green Tribunal Act

1.1.5. Some Important Environmental Rules in India: Table No-2:

1989	Hazardous Waste (Management and Handling) Rules
1989	Manufacture, Storage and Import of Hazardous Chemical Rules
2000	Municipal Solid Waste (Management and Handling) Rules
1998	The Biomedical Waste (Management and Handling) Rules
1999	The Environment (Siting for Industrial Projects) Rules
2000	Noise Pollution (Regulation and Control) Rules
2000	Ozone Depleting Substances (Regulation and Control) Rules

2011	E-waste (Management and Handling) Rules
2011	National Green Tribunal (Practices and Procedure) Rules
2011	Plastic Waste (Management and Handling) Rules

1.1.6 National Environmental Plans & Policy Documents: Table No-3:

1.	National Forest Policy, 1988
2.	National Water Policy, 2002
3.	National Environment Policy or NEP (2006)
4.	National Conservation Strategy and Policy Statement on Environment and Development, 1992
5.	Policy Statement for Abatement of Pollution (1992)
6.	National Action Plan on Climate Change
7.	Vision Statement on Environment and Human Health
8.	Technology Vision 2030 (The Energy Research Institute)
9.	Addressing Energy Security and Climate Change (MoEF and Bureau of Energy Efficiency)
10.	The Road to Copenhagen; India's Position on Climate Change Issues (MoEF)

1.2 Objectives

1. To study present usage of Natural resources the College is consuming
2. To Study the present pollution sources
3. To study various measures to make the campus Self sustainable in respect of Natural resources
4. To suggest the various measures to reduce the pollution: Air, Water, Noise

1.3 Audit Methodology:

1. Study of College as System
2. Study of Electrical Energy Consumption
3. Study of CO₂ emissions
4. Suggestions on usage of Renewable Energy

1.4 General Details of College

No	Head	Particulars
1	Name of Institution	Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon
2	Address	Shivram Nagar Rd, Shivram Nagar, Prabhat Colony, Jalgaon, Maharashtra 425001.
3	Affiliation	Kavayitri Bahinabai Chaudhari North Maharashtra University, Jalgaon.

2. Study of Consumption of Various Resources


The Institute consumes following basic/derived Resources:

1. Air
2. Water
3. Electrical Energy
4. Liquefied Petroleum Gas

Also, college emits following pollutants to environment

1. Human Waste: Solid/ Liquid
2. Kitchen waste
3. Air pollution

We try to draw a schematic diagram for the College System & Environment as under.



Now we compute the Generation of CO₂ on account of consumption of Electrical Energy & LPG as under.

The calculation of electrical energy consumption by college can be given as,

Table 2.1: Electrical Energy Consumption

No	Month	Energy (kWh)
1	Jun-24	1,262
2	May-24	866
3	Apr-24	903
4	Mar-24	781
5	Feb-24	649
6	Jan-24	633
7	Dec-23	632
8	Nov-23	913
9	Oct-23	834
10	Sep-23	751
11	Aug-23	1,112
12	Jul-23	800
	Total	10,136

2.1 Variation of Monthly Electrical Energy Consumption




Figure 2.1 : Monthly Electrical Energy Consumption

2.2 Key Inference drawn

From the above analysis, we present following important parameters:

Table 2.2: Variation in Important Parameters

No	Parameter/ Value	Energy Consumed, kWh
1	Total	10,136
2	Maximum	1262
3	Minimum	632
4	Average	845

3. Study of Air Pollution and Liquid Waste Generation

The College is using two forms of Energies, namely: Thermal in the form of LPG and Electrical Energy used for day to day operations of the College.

3.1 Study of Carbon Emission

The major pollutant on account of above Energy forms is the Carbon Di Oxide.

- 1 unit (kWh) of Electrical Energy emits 0.8 Kg of CO₂ in the atmosphere
- 1 Kg of LPG emits 3 Kg of CO₂ in the atmosphere

In the following Table, we present the CO₂ emissions.

Table 3.1: Month wise Consumption of Electrical Energy & CO₂ Emissions:

No	Month	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Jun-24	1,262	1.0
2	May-24	866	0.7
3	Apr-24	903	0.7
4	Mar-24	781	0.6
5	Feb-24	649	0.5
6	Jan-24	633	0.5
7	Dec-23	632	0.5
8	Nov-23	913	0.7
9	Oct-23	834	0.7
10	Sep-23	751	0.6
11	Aug-23	1,112	0.9
12	Jul-23	800	0.6
	Total	10,136	8.1
	Maximum	1,262	1.0
	Minimum	632	0.5
	Average	845	0.7

In the following Chart we present the CO₂ emissions due to usage of Electrical Energy.




Figure 3.1: CO₂ emission due to usage of electrical energy.

3.2 Air pollution from vehicles

Pollution Under Control (PUC) is mandatory for the Vehicles coming in the campus. The following practices are observed in college premises

1. Staff and student entries are strictly prohibited without wearing of helmets.
2. The campus have dense canopy of indigenous bloomed plants.
3. Most of plants play major role in minimize the air and noise pollution.

3.3 Study of Liquid waste Generation

The college has designed the outflow of the liquid waste in such away as to prevent contamination in the campus. A properly constructed leakage proof sewer system is used for drainage. At present the Liquid Waste generated due to day to day operations is drained off to the municipal Corporation through a pipe.

The College has already installed Rain Water Harvesting project, wherein the rain water falling on the terrace is collected and through pipes it is fed to underground Water Storage tank. This stored water is then reused for domestic purpose.

Photograph of Rain Water Harvesting pipe



4. Study of Solid Waste Generation

In this chapter, we study solid waste generated in college and disposal mechanism of solid waste in college.

4.1 Solid waste collection

The garbage collected in college is segregated into wet and dry centrally in campus. Waste bins are placed in college campus for collection of waste. It is daily dispatched to solid waste collection vehicle of Municipal Corporation.

Proper dustbins are provided to each department. also 2 large (steel and plastic) dustbins are install at various location in the college campus for collection of waste including administration office, college canteen, near garden etc. Some dustbins are provided to girl's hostel (1 dustbin for 2 rooms) for collection of solid waste. The stored waste is collected by Municipal Corporation on every day.

Photograph of Dustbins in college campus



4.2 Mess and Canteen food wastage

The students and canteen staff are encouraged to have minimal food wastage. Canteen contractor have food license and shop act certificate. Food waste collected in canteen disposed for vermicomposting pit. The canteen is encouraged for usage of paper tea cups. Around 80 kg/ day food and other waste is generated in the form of biodegradable solid waste from the hostel mess and canteen.

4.3 E-waste management

All electronic gadgets are periodically repaired for efficient utilization and replaced under by back scheme of supplier. Hence, minimum e-waste is generated in the campus. The

remaining non-working computers, monitors and printers are discarded and scrapped on a systematic basis. If some parts are useful, in other systems they are kept aside for future use.

4.4 Paper wastage

The students and office staff are encouraged to work with minimal use of paper. Regular activities of students are digitally monitored. Two sides of paper (back to back) printing method is preferable. The projects reports pages (one sided) submitted by students was used to avoid the dependence on fresh pages.

4.5 Bio composting pit

The College has already installed a Bio composting Plant, wherein, the bio-degradable waste is composted & is used as fertilizer for the garden.

Photograph of Bio Composting Processing Tanks



5. Recommendations

In order to reduce the dependency on natural resources and also in order to reduce the various pollutions arising due to the day to day operations of the College we herewith suggest following recommendations.

- Installation of Bio Gas Generator Plant instead of Bio composting Plant.
- Installation of Sewage treatment Plant to make campus a Zero Discharge campus

**Report
On
Green Audit
Khandesh College Education Society's
Post Graduate College of Science, Arts & Commerce, Jalgaon
(Year 2023-24)**



Prepared by
Nutan Urja Solutions
A 703, Balaji Witefield, Near Sunni's World,
Sus Road, Sus, Pune 411 021
Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Contents

Acknowledgement	2
Executive Summary	3
Abbreviations	5
1. Introduction.....	6
1.1 Objectives.....	6
1.2 Audit methodology.....	6
2. Study of Electrical Energy Consumption	7
3. Carbon Foot printing.....	9
4. Study of Usage of Alternate Energy	11
5. Study of Rain Water Harvesting	12
6. Study of Waste Management	13
6.1 Solid Waste Management.....	13
6.2 e-Waste Management.....	13
7. Study of Green Practices.....	14
7.1 Usage of vehicles for coming to Institute	14
7.2 Usage of Public Transport.....	14
7.3 Pedestrian Friendly Roads.....	14
7.4 Plastic Free Campus	14
7.5 Paperless Office.....	15
8. Green Landscaping with Trees and Plants.....	16

Acknowledgement

We at Nutan Urja Solutions, Pune, express our sincere gratitude to the management of Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon for awarding us the assignment of Green Audit of their college premises.

We are also thankful to various Head of Departments & other Staff members for helping us during the field measurements.

We hope that the recommendations stated in this report will be useful and worthy of discussions to take things forward to help implementation of energy conservation measures and green practices. While we have made every attempt to adhere to high quality standards, in both data collection and analysis through the report, we would welcome your suggestions so as to improve upon this report further.

Executive Summary

Green Audit of Khandesh College Education Post Graduate College of Science, Arts & Commerce, Jalgaon is conducted by Nutan Urja Solutions, Pune. Based On the audit field study, following important points can be presented.

1. Present Energy Consumption

Khandesh College Education Society's Post Graduate College of Science Technology & Research, Jalgaon uses Electrical Energy as the source of Energy for various equipment in the college campus. In the following Table, we present the details of Energy Consumption.

Table no 1: Details of energy consumption

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	1,262	1.0
2	Minimum	632	0.5
3	Average	845	0.7
4	Total	10,136	8.1

2. Various Measures Adopted for Energy Conservation

1. Usage of STAR Rated ACs at new installations
2. Usage of LED lights at some indoor locations
3. Usage of LED Lights for outdoor lighting.

3. Usage of Renewable Energy

The collage has installed **1.8 kW** Solar PV Power Plant.

4. Rain Water Harvesting

The College has installed the Rainwater harvesting project, to reduce dependency on municipal corporation water supply. The rainwater is used for chemistry practical.

5. Waste Management

The College has already installed a Bio composting Plant, wherein, the bio-degradable waste is composted & is used as fertilizer for the garden.

The internal communication is through emails, Whatsapp groups, phones and there is hardly any generation of e-Waste in the premises.

6. Notes and Assumptions

1. Daily working hours-10 Nos
2. Annual working Days-250 Nos
3. Average Rate of Electrical Energy : **Rs 11/- per kWh**

Abbreviations

CFL	: Compact Fluorescent Lamp
FTL	: Fluorescent Tube Light
LED	: Light Emitting Diode
V	: Voltage
I	: Current
kW	: Kilo- Watt
kWh	: kilo-Watt Hour
kVA	: Active Power

1. Introduction

Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon is one of the premier academic institutes having only science stream with post graduate courses. The institution is committed to achieve the highest academic standards and provides an opportunity to the students to choose and enroll in program that are best suited to them. It is well known for its educational, cultural, social and spiritual enterprises.

Post Graduate College of Science, Arts & Commerce, Jalgaon was established in 2010 as the first institution to impart post graduate education in not only the region of North Maharashtra University, but also in whole state. The overall development of the institution over the period of a decade is multidimensional. Introduction of relevant courses / subjects at apt time, provision of optimum academic and other support facilities, development of healthy environment, organization of conferences, seminars, workshops, competitions and such other activities have helped the institution in gaining strength and thereby reputation.

1.1 Objectives

1. To study present level of Energy Consumption
2. To Study the present CO₂ emissions
3. To assess the various equipment/facilities from Energy efficiency aspect
4. To measure various Electrical parameters
5. To study scope for usage of Renewable Energy
6. To study various measures to reduce the Energy Consumption

1.2 Audit methodology

1. Study of connected load
2. Study of various Electrical parameters
3. To prepare the Report with various Encon measures with payback analysis

2. Study of Electrical Energy Consumption

In this chapter, electricity bills are studied for the analysis of electrical energy consumption.

Table 2.1: Summary of electricity bills

No	Month	Energy (kWh)	Bill Amount (Rs)
1	Jun-24	1,262	13,149
2	May-24	866	9,084
3	Apr-24	903	9,437
4	Mar-24	781	8,099
5	Feb-24	649	6,958
6	Jan-24	633	7,008
7	Dec-23	632	4,658
8	Nov-23	913	7,530
9	Oct-23	834	10,782
10	Sep-23	751	7,288
11	Aug-23	1,112	11,401
12	Jul-23	800	6,181
	Total	10,136	101,574

Variation in energy consumption is as follows,




Figure 2.1: Month wise energy consumption

Monthly variation in electricity bill is as follows,




Figure 2.2: Month wise electricity bill

Key observations of electricity bill are as follows,

Table 2.2: Key observations

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	1,262	1.0
2	Minimum	632	0.5
3	Average	845	0.7
4	Total	10,136	8.1

3. Carbon Foot printing

1. A Carbon Foot print is defined as the Total Greenhouse Gas emissions (CO₂ emissions), emitted due to various activities. In this we compute the emissions of Carbon-Di-Oxide, by usage of the various form of Electrical Energy used by the College for performing its day to day activities

2. Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy is as under

- 1 Unit (kWh) of Electrical Energy releases **0.8 Kg of CO₂** into atmosphere.

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations

We herewith furnish the details of various forms of Energy consumption as under

Table 3.1: Month wise Consumption of Electrical Energy & CO₂ Emissions

No	Month	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Jun-24	1,262	1.0
2	May-24	866	0.7
3	Apr-24	903	0.7
4	Mar-24	781	0.6
5	Feb-24	649	0.5
6	Jan-24	633	0.5
7	Dec-23	632	0.5
8	Nov-23	913	0.7
9	Oct-23	834	0.7
10	Sep-23	751	0.6
11	Aug-23	1,112	0.9
12	Jul-23	800	0.6
	Total	10,136	8.1

In the following Chart we present the CO₂emissions due to usage of Electrical Energy.




Figure 3.1: Month wise CO₂ Emission

4. Study of Usage of Alternate Energy

In this Chapter, we compute the percentage of Usage of Alternate/Renewable Energy to Annual Energy Requirement of the College. The College has installed Roof Top Solar PV System. The Installed Capacity of Solar PV Plant is **1.8 kWp**.

Table 4.1: Computation of % Usage of Alternate Energy to Annual Energy Requirement

No	Particulars	Value	Unit
1	Annual Energy Purchased from MSEDCL	10,136	kWh/Annum
2	Energy Generated by Roof Top Solar PV System	2700	kWh/Annum
3	Total Energy Requirement of College	12,836	kWh/Annum
4	% of Usage of Alternate Energy to Annual Energy Requirement	21	%

Photograph of Solar PV plant



5. Study of Rain Water Harvesting

The College has already installed Rain Water Harvesting project, wherein the rain water falling on the terrace is collected and through pipes it is fed to underground Water Storage tank. This stored water is then reused for chemistry laboratory.

Photograph of Rain Water Harvesting pipe



6. Study of Waste Management

6.1 Solid Waste Management

The College has already installed a Bio composting Plant, wherein, the bio-degradable waste is composted & is used as fertilizer for the garden. The collected wastes from garden, debris, leaf litter are collect dumped into vermicomposting bins to prepare the compost manure from the waste. Eisenia Foetida species of earthworm is used for the process.

Photographs of Bio Composting Storage Tanks:



6.2 e-Waste Management

The internal communication is through emails and hence there is hardly any generation of paper waste in the premises. The E-waste generated in all colleges of Khandesh Education Society is collected. Most of the material in waste is reused before disposal.

7. Study of Green Practices

7.1 Usage of vehicles for coming to Institute

The college conducts campaign for students and faculty to understand the importance of environmental protection and be mindful about saving energy. The authority frequently appeals to the students and faculty to maintain the tradition of no vehicle day on Saturday. To motivate and aware the students regarding minimum use of vehicles “Cycle Day” programme is arranged by college facility.

7.2 Usage of Public Transport

During the Students transport study, it was revealed that the local students who are residing near areas make use of Public Transport like Municipal Transport local buses, local sharing type auto rickshaws. Some students use bicycles. Institute encourages students to not to use automobiles.

7.3 Pedestrian Friendly Roads

The Institute has well defined pedestrian foot paths as to facilitate the easy movement of the students within the campus.

Photograph of Road within campus



7.4 Plastic Free Campus

The Institute is an active participant in the Government of India's most prestigious project of SWATCHH BHART ABHIYAN. The Institute has displayed boards in the Campus, to make the campus plastic free. Various measures adopted for this purpose are as follows

- Installation of Separate waste bins for Dry waste & wet waste
- Usage of paper tea cups in the Institute canteen

- Display of boards in the campus for Plastic Free campus

7.5 Paperless Office

The internal communication of the Institute is through the Internet. There are hardly any day to day operations, where printing is required.

8. Green Landscaping with Trees and Plants

To understand the plant biodiversity of the campus, the college has been conducting census of tree, herbs and shrubs. The college campus has rich plant biodiversity including 33 tree species with a dominance of family *Caesalpinaceae*. With regard to shrubs dominance of *Securinega virosa* and herbs with dominance of *Veruoniacerneria* are recorded.

Photograph of Beautifully Maintained Garden of College



**Report
On
Energy Audit
At
Khandesh College Education Society's
Post Graduate College of Science, Arts & Commerce, Jalgaon
(Year 2023-24)**



Prepared by
Nutan Urja Solutions
A 703, Balaji Witefield, Near Sunni's World,
Sus Road, Sus, Pune 411 021
Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Contents

Acknowledgement	2
Executive Summary	3
Abbreviations	5
1. Introduction.....	6
1.1 Objectives.....	6
1.2 Audit Methodology:	6
1.3 General Details of College	7
2. Study of connected load.....	8
3. Study of Electrical Energy Consumption	10
4. Carbon Foot printing.....	12
5. Study of utilities	14
5.1 Study of Lighting	14
5.2 Air-conditioners	14
5.3 Ceiling Fans.....	14
5.4 Water Pumps	14
6. Study of usage of alternate energy.....	15
7. Study of usage of LED lighting	16
8. Energy conservation proposals	17
8.1 Replacement of Old T-8 FTLs with 20 W LED fittings	17
8.2 Replacement of old fans with STAR Rated fans.....	18
8.3 Replacement of 1.5 TR Old ACs with STAR Rated ACs.....	19
8.4 Installation of PV panel.....	20
8.5 Summary of Savings	21

Acknowledgement

We at Nutan Urja Solutions, Pune, express our sincere gratitude to the management of Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon for awarding us the assignment of Energy Audit of their college premises.

We are also thankful to various Head of Departments & other Staff members for helping us during the field measurements.

We hope that the recommendations stated in this report will be useful and worthy of discussions to take things forward to help implementation of energy conservation measures through energy savings. While we have made every attempt to adhere to high quality standards, in both data collection and analysis through the report, we would welcome your suggestions so as to improve upon this report further.

Executive Summary

After the Field measurements & analysis, we present herewith important observations made and various measures to reduce the Energy Consumption & mitigate the CO₂ emissions. College consumes Energy in the form of Electrical Energy used for various gadgets, Office & other facilities.

1. Present Energy Consumption

In the following Table, we present the details of Energy Consumption.

Table no 2.1: Details of energy consumption

Sr no	Parameter	Energy consumed, (Units)	CO ₂ Emission (MT)
1	Maximum	1,262	1.0
2	Minimum	632	0.5
3	Average	845	0.7
4	Total	10,136	8.1

2. Energy Conservation Projects already installed

1. Usage of LED lights at some indoor locations
2. Usage of LED Lights for outdoor lighting.

3. Key Observations

1. Usage of LED lights.
2. Usage of star rated equipment.
3. Maintained a good power factor.

4. Percentage of Usage of Alternate Energy

The College has installed a Roof Top Solar PV Plant. The percentage of usage of Alternate Energy to Annual Energy Requirement is 19.4 %.

5. Percentage of Usage of LED Lighting

The College has various Types of Light fittings, namely: LED, FTL & CFL. The percentage of Annual LED Lighting Usage to Annual Lighting requirement works out to be 9.8%.

6. Recommendations

Table 1: Recommendations for energy savings

No	Recommendation	Annual Saving potential, kWh/Annum	Annual Monetary Gain, Rs.	Investment Required, Rs.	Payback period, Months
1	Replacement of 110 Nos T-8 fittings with 20W LED fittings	2,200	24,200	70,510	35
2	Replacement of 52 Nos Old Ceiling Fans with STAR rating fans	676	7,436	113,048	182
3	Replacement of 2 Nos Old 1.5 TR Acs with STAR rating Acs	2,000	22,000	105,750	58
4	Installation of 5kW grid connected PV panel	7,500	82,500	250,000	36
	Total	12,376	136,136	539,308	48

7 Notes & Assumptions

1. Daily working hours-10 Nos
2. Annual working Days-300 Nos
3. Average Rate of Electrical Energy : **Rs 11/- per kWh**

Abbreviations

CFL	: Compact Fluorescent Lamp
FTL	: Fluorescent Tube Light
LED	: Light Emitting Diode
V	: Voltage
I	: Current
kW	: Kilo- Watt
kWh	: kilo-Watt Hour
kVA	: Active Power

1. Introduction

Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon is one of the premier academic institutes having only science stream with post graduate courses. The institution is committed to achieve the highest academic standards and provides an opportunity to the students to choose and enroll in program that are best suited to them. It is well known for its educational, cultural, social and spiritual enterprises.

Post Graduate College of Science, Arts & Commerce, Jalgaon was established in 2010 as the first institution to impart post graduate education in not only the region of North Maharashtra University, but also in whole state. The overall development of the institution over the period of a decade is multidimensional. Introduction of relevant courses / subjects at apt time, provision of optimum academic and other support facilities, development of healthy environment, organization of conferences, seminars, workshops, competitions and such other activities have helped the institution in gaining strength and thereby reputation.

1.1 Objectives

1. To study present level of Energy Consumption
2. To Study Electrical Consumption
3. To assess the various equipment/facilities from Energy efficiency aspect
4. To study various measures to reduce the Energy Consumption

1.2 Audit Methodology:

1. Study of connected load
2. Study of various Electrical parameters
3. To prepare the Report with various Encon measures with payback analysis

1.3 General Details of College

Table 1.1: Details of college

No	Head	Particulars
1	Name of Institution	Khandesh College Education Society's Post Graduate College of Science, Arts & Commerce, Jalgaon
2	Address	Shivram Nagar Rd, Shivram Nagar, Prabhat Colony, Jalgaon, Maharashtra 425001.
3	Affiliation	Kavayitri Bahinabai Chaudhari North Maharashtra University, Jalgaon.

2. Study of connected load

In this chapter, we present details of various connected electrical equipment and electrical load.

Table 2.1: Location wise study of Electrical fittings in various buildings

No	Location	FTL (40W)	LED tube (20W)	Computers (65W)	Old fan	1.5TR old Acs
	College Building					
	Ground Floor					
1	Office	3		3	2	1
2	Meeting hall	4		1	2	1
3	Biotech lab	6	2		2	
4	Pantry room	2				
5	Research lab	3	2		1	
6	Staff room	2		1	2	
	First Floor					
7	Passage	7				
8	Lecture hall 2	3			3	
9	Library	3		2	4	
10	Lecture hall 3	3			2	
11	Ladies room	1		1	2	
12	Lecture hall 4	3			2	
	Second floor				5	
13	Microbiology lab	5	2			
14	Record room	1				
15	Lecture hall 5	4			2	
16	Physics	4			2	
17	Chemistry lab	17		2	8	
18	Chemistry Dept.	1		2		
19	Toilet	2				
	Ekalavya Building					
20	Lecture hall 6	2			1	
21	Lecture hall 7	2			1	
22	Computer lab		4	12	1	
23	Toilet	4				
24	Passage	2	3			
25	Lecture hall 8	4			2	

26	Lecture hall 9	6			3	
27	Psychology lab	5			2	
28	Lecture hall 10	5			2	
29	Math Dept.	1			1	
30	Store room	1				
31	Passage	4				
32	Total	110	13	24	52	2

Apart from above load, the school has pumps, CFLs and LED focus street lights on streets and grounds. Individual fitting wise load is as under.

Table 2.2: Equipment wise Connected Load

No	Equipment	Qty	Load, W/Unit	Load, kW
1	Ceiling Fan	52	65	3.4
2	AC-Old (1.5 Tr)	2	2200	4.4
5	LED-20W	13	20	0.3
7	F T L-40 W	114	40	4.6
8	Computers	24	65	1.6
9	Pump (1HP)			0.8
10	LED street lights	10	35	0.4
	Total			15.3

Data can be represented in terms of PIE chart as under,




Figure 2.1: Distribution of connected load.

3. Study of Electrical Energy Consumption

In this chapter, electricity bills are studied for the analysis of electrical energy consumption.

Table 3.1: Summary of electricity bills

No	Month	Energy (kWh)	Bill Amount (Rs)
1	Jun-24	1,262	13,149
2	May-24	866	9,084
3	Apr-24	903	9,437
4	Mar-24	781	8,099
5	Feb-24	649	6,958
6	Jan-24	633	7,008
7	Dec-23	632	4,658
8	Nov-23	913	7,530
9	Oct-23	834	10,782
10	Sep-23	751	7,288
11	Aug-23	1,112	11,401
12	Jul-23	800	6,181
	Total	10,136	101,574

Variation in energy consumption is as follows,




Figure 3.1: Month wise energy consumption

Monthly variation in electricity bill is as follows,




Figure 3.2: Month wise electricity bill

Key observations of electricity bill are as follows,

Table 3.2: Key observations

Sr no	Parameter	Energy consumed, (Units)	Bill Amount (Rs)
1	Maximum	1,262	13,149
2	Minimum	632	4,658
3	Average	845	8,465

4. Carbon Foot printing

1. A Carbon Foot print is defined as the Total Greenhouse Gas emissions (CO₂ emissions), emitted due to various activities. In this we compute the emissions of Carbon-Di-Oxide, by usage of the various form of Electrical Energy used by the College for performing its day to day activities

2. Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy is as under

- 1 Unit (kWh) of Electrical Energy releases **0.8 Kg of CO₂** into atmosphere.

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations

We herewith furnish the details of various forms of Energy consumption as under

Table 4.1: Month wise Consumption of Electrical Energy & CO₂ Emissions

No	Month	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Jun-24	1,262	1.0
2	May-24	866	0.7
3	Apr-24	903	0.7
4	Mar-24	781	0.6
5	Feb-24	649	0.5
6	Jan-24	633	0.5
7	Dec-23	632	0.5
8	Nov-23	913	0.7
9	Oct-23	834	0.7
10	Sep-23	751	0.6
11	Aug-23	1,112	0.9
12	Jul-23	800	0.6
	Total	10,136	8.1

In the following Chart we present the CO₂ emissions due to usage of Electrical Energy.




Figure 4.1: Month wise CO₂ Emission

5. Study of utilities

5.1 Study of Lighting

In the facility, the lighting system can be divided mainly in to parts, indoor lighting and outdoor lighting. There are 110 FTL fittings with Electronic/ magnetic chokes and 13 LEDs in indoor lightings. There are 4 FTL fittings with Electronic/ magnetic chokes and 10 No of LED street lights in outdoor lightings. It is recommended to install the 20 W LED Tube light fittings in place of these old T-8 fittings.

5.2 Air-conditioners

In the facility, there are about 02 Nos. of 1.5 Tr old Air-conditioners. It is recommended to replace these Old ACs with BEE STAR Rated ACs.

5.3 Ceiling Fans

At building facility, there are about 52 Nos Old Ceiling Fans, which consumed about 65 W of Electrical Energy. It is recommended to replace these old Fans with BEE STAR Rated Ceiling Fans.

5.4 Water Pumps

There are in total 1 Water pumps with 1HP capacity.

6. Study of usage of alternate energy

In this Chapter, we compute the percentage of Usage of Alternate/Renewable Energy to Annual Energy Requirement of the College. The College has installed Roof Top Solar PV System. The Installed Capacity of Solar PV Plant is **1.8 kWp**.

Table 6.1: Computation of % Usage of Alternate Energy to Annual Energy Requirement

No	Particulars	Value	Unit
1	Annual Energy Purchased from MSEDCL	10,136	kWh/Annum
2	Energy Generated by Roof Top Solar PV System	2700	kWh/Annum
3	Total Energy Requirement of College	12,836	kWh/Annum
4	% of Usage of Alternate Energy to Annual Energy Requirement	21.03	%

Photograph of Solar PV plant



7. Study of usage of LED lighting

In this chapter we study the lighting system of college and compute the percentage of total load catered by LED lighting.

Table 7.1: Total lighting load

No	Particulars	Qty	Load, W/Unit	Load, kW
1	F T L-40 W	114	40	4.56
	LED lighting load			
1	LED tube	13	20	0.26
2	LED street lights	10	35	0.35
	Total LED lighting load			0.61
	Total Lighting load			5.17

It can be seen that out of total lighting load 11.8% load is LED lighting load.

8. Energy conservation proposals

8.1 Replacement of Old T-8 FTLs with 20 W LED fittings

In the facility, there are about 110 Nos, T-8, FTL fittings with Electronic/magnetic chokes. It is recommended to install the 20 W LED Tube light fittings in place of these old T-8 fittings. In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Present Qty of T-8 fittings	110	Nos
2	Energy Demand of T-8 fitting	40	W/Unit
3	Energy Demand of 20 W LED fitting	20	W/Unit
4	Reduction in demand	20	W/Unit
5	Average Daily Usage period	4	Hrs/Day
6	Daily saving in Energy	8.8	kWh/Day
7	Annual Working Days	250	Nos
8	Annual Energy Saving possible	2200	kWh/Annum
9	Rate of Electrical Energy	11	Rs/kWh
10	Annual Monetary saving	24200	Rs/Annum
11	Cost of 20 W LED Tube	641	Rs/Unit
12	Investment required	70510	Rs lump sum
13	Simple Payback period	35	Months

8.2 Replacement of old fans with STAR Rated fans

During the Audit, it was observed that there are 52 no of fans. It is recommended to replace these old fans with STAR Rated fans.

In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Present Qty of Old Ceiling Fan fittings	52	Nos
2	Energy Demand of Old Ceiling Fan fitting	65	W/Unit
3	Energy Demand of STAR Rated Fan	52	W/Unit
4	Reduction in demad	13	W/Unit
5	Average Daily Usage period	4	Hrs/Day
6	Daily saving in Energy	2.704	kWh/Day
7	Annual Working Days	250	Nos
8	Annual Energy Saving possible	676	kWh/Annum
9	Rate of Electrical Energy	11	Rs/kWh
10	Annual Monetary saving	7436	Rs/Annum
11	Cost of STAR Rated Ceiling Fan	2174	Rs/unit
12	Investment required	113048	Rs lump sum
13	Simple Payback period	182	Months

8.3 Replacement of 1.5 TR Old ACs with STAR Rated ACs

During the Audit, it was observed that there are 02 Nos, of 1.5 TR old ACs. It is recommended to replace these old ACs with STAR Rated ACs.

In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Present Qty of 1.5 TR Old ACs	2	Nos
2	Energy Demand of Old 1.5 TR AC	2.15	kW/Unit
3	Energy Demand of New AC	1.15	kW/Unit
4	Reduction in demand	1	kW/Unit
5	Average Daily Usage period	4	Hrs/Day
6	Daily saving in Energy	8	kWh/Day
7	Annual Working Days	250	Nos
8	Annual Energy Saving possible	2000	kWh/Annum
9	Rate of Electrical Energy	11	Rs/kWh
10	Annual Monetary saving	22000	Rs/Annum
11	Cost of STAR Rated 1.5 TR AC	52875	Rs/unit
12	Investment required	105750	Rs lump sum
13	Simple Payback period	58	Months

8.4 Installation of PV panel

It is recommended to install PV panels of 5 kW capacity. In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Installation of 20kW PV unit	5	kW
2	Energy saving	7500	kWh/Annum
3	Rate of electrical energy	11	Rs
4	Annual monetary savings	82500	Rs/ Annum
5	Investment required	250000	Rs lump sum
6	Simple payback period	36	Months

8.5 Summary of Savings

No	Recommendation	Annual Saving potential, kWh/Annum	Annual Monetary Gain, Rs.	Investment Required, Rs.	Payback period, Months
1	Replacement of 110 Nos T-8 fittings with 20W LED fittings	2,200	24,200	70,510	35
2	Replacement of 52 Nos Old Ceiling Fans with STAR rating fans	676	7,436	113,048	182
3	Replacement of 2 Nos Old 1.5 TR Acs with STAR rating Acs	2,000	22,000	105,750	58
4	Installation of 5kW grid connected PV panel	7,500	82,500	250,000	36
	Total	12,376	136,136	539,308	48